

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[\[REDACTED\]](#) [My Account](#) | [Sign out](#)

XML rule action network monitoring

[Search Patents](#)[Advanced Patent Search](#)
[Google Patent Search](#)

Patents

Patents **51 - 56** on **XML rule action network monitoring**. (0.05 seconds)

Event-driven and logic-based data transformation

US Pat. 6968329 - Filed Sep 26, 2001 - Syniverse Brence, LLC

Network characteristics, such as bandwidth and delay, can also vary. ...comprise **monitoring** the requested data and/or modifying the requested data. ...

Executing dynamically assigned functions while providing services

US Pat. 7024662 - Filed Jan 31, 2002 - Microsoft Corporation

The sheer volume of transactions can make **monitoring** services a ... from themon- contrary to the **XML** standard, the invention may include toring binary ...

System and method for transcoding web content for display by alternative client devices

US Pat. 7120702 - Filed Mar 3, 2001 - International Business Machines Corporation

2D is an **XML** schema that formalizes the steps of a structure of the logic of ...by the auction domain is The client device 12 accesses a computer **network**, ...

System and method for enterprise-wide business process management

US Pat. 6817008 - Filed Feb 3, 2003 - Total System Services, Inc.

These communications links typically represent the com- 15 puter **network** links,... implemented with a platform independent computer language such as **XML**, ...

Agent-based multimedia communication system that supports web telephony call model


US Pat. 7076048 - Filed Sep 21, 2001 - Matsushita Electric Industrial Co., Ltd.

US B2 telephone **network** link or an IP-based telephone link). ... precise **XML**

interface definition 40 so that the SLP can be managed as a service data that ...

Resource and data administration technologies for IT non-experts

US Pat. 7149738 - Filed Dec 16, 2002 - International Business Machines Corporation

All resources in the **network** can be controlled centrally by defining appropriate... policies are defined at each of an event, condition, and **action** level. ...Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#)

XML rule action network monitoring

[Search Patents](#)[Google Patent Search Help](#) | [Advanced Patent Search](#)[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[My Account](#) | [Sign out](#)


rules symptom problem action network monito

[Advanced Patent Search](#)
[Google Patent Search](#)**Patents**

Patents 21 - 21 on rules symptom problem action network monitoring. (0.02 seconds)

Adaptive transmission in multi-access asynchronous channels

US Pat. 6760308 - Filed Jun 29, 1999 - Bitbytebit Information Services, Inc.

7, a decision **network** for adaptive channel allocation in accordance with an exemplary.... a **symptom** observed during simulation testing described below. ...Result Page: [Previous](#) [1](#) [2](#) [3](#)

rules symptom problem action network monito

[Google Patent Search Help](#) | [Advanced Patent Search](#)[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google

Web Images Video News Maps Gmail more ▾

 | [My Notebooks](#) | [Web History](#) | [My Account](#) | [Sign out](#)

Google

"Rule-Based markup Language" problem actio

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 4 of 4 for "[Rule-Based markup Language](#)" problem action rule. (0.43 seconds)

Did you mean: "[Rule-Based markup Language](#)" problem action **role**

[\[PDF\] A generalized RuleML-based Declarative Policy specification ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

rule is an Event-Condition-Action **rule** [7,8], where a composite event can be defined, ...
some activity to overcome the underlying **problem** that has resulted ...

[www.w3.org/2004/08/ws-cc/srstst-20040903](#) - [Similar pages](#) - [Note this](#)

[Method and apparatus for generating diagnoses of network problems ...](#) - 3:05pm

[0013] In another approach, network **problems**, symptoms and diagnoses are defined in a **rule-based markup language** (RBML). The markup language is also used to ...

[www.freepatentsonline.com/20060123278.html](#) - 69k - [Cached](#) - [Similar pages](#) - [Note this](#)

[Automated data collection and analysis - US Patent 7117113](#)

In various embodiments, the analysis engine module 170 is an expert system, a **rule-based** engine, a **rule-based markup language** (RBML) engine, ...

[www.patentstorm.us/patents/7117113-description.html](#) - 56k -

[Cached](#) - [Similar pages](#) - [Note this](#)

[\[PDF\] The ContractLog Approach Towards Test-driven Verification and ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

in **rule** chains have been also identified as a **problem** for active **rules** which use A

Rule Based Markup Language for Test Cases ...

[ibis.in.tum.de/projects/rbsla/docs/ContractLog_VVI.pdf](#) - [Similar pages](#) - [Note this](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 4 already displayed.

If you like, you can [repeat the search with the omitted results included](#).

Did you mean to search for: "[Rule-Based markup Language](#)" problem action **role**

Download [Google Pack](#): free essential software for your PC

"Rule-Based markup Language" pro | Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[My Account](#) | [Sign out](#)

RBML

[Search Patents](#)[Advanced Patent Search](#)
[Google Patent Search](#)

Patents

Patents 1 - 10 on RBML. (0.05 seconds)

Method and system for modeling and presenting integrated media with a declarative modeling ...

US Pat. 5764241 - Filed Nov 30, 1995 - Microsoft Corporation

Graceful degra- alternative approaches for integrating non-RBML and dation ...

Direct- paths 168, 170 from the RBML modules to the non-RBML Sound for audio ...

Method and apparatus for an interactive Web Radio system that broadcasts a digital markup language

US Pat. 6975835 - Filed Sep 7, 1999 - Sonigistix Corporation

The send URL button icon 430 sends an RBML document with the GETURL tag which

... The priority level may be use when the RBML tag stream of the real-time ...

DATA TRANSFER SYSTEM

US Pat. 3277444 - Filed Jun 5, 1961 - General Electric Company

... flip-flops and to the 1-logic input lead of the Rbml flip-flop. When an

Instruction 65 causes issuance of the ...

Multi-band power amplifier

US Pat. 6838941 - Filed Dec 4, 2002 - Renesas Technology Corp.

... through Rbml to Rbm n. Furthermore, unit transistors ... through Rbml- Rbm n

and Rell-ReIn through ...

Automated data collection and analysis

US Pat. 7117113 - Filed Mar 1, 2004 - Cisco Technology, Inc.

In various embodiments, the analysis engine module 170 is an expert system, a 40 rule-based engine, a rule-based markup language (RBML) engine, ...

System and assemblage for producing microtexturized substrates and implants

US Pat. 5645740 - Filed Nov 1, 1993

The development of square-wave microstructure was D. Preparation of Rat Bone Marrow (RBML Cultures achieved by multiple reactive ion etching (TRIE) ...

Method for channel assignment and a radio communications system

US Pat. 6434128 - Filed Aug 9, 1999 - Siemens Aktiengesellschaft

The width rb of the cell edge is greater than a minimum width $rbml > J$, with the minimum width ...

ALPHA-NUMERIC STORE

US Pat. RE27157 - Filed Sep 12, 1959

... Rbml, Rb(ij): FF, Read Buf; FIGS. 163-169 Rb: The 1-output signals of the 28

flip-flops of the Rb- register, which temporarily stores data being ...

Semiconductor memory device and data read method thereof

US Pat. 6614710 - Filed Nov 9, 2001 - Samsung Electronics Co., Ltd.

... rb21, . . . , r bml. In this case, when a multiplexer is a two-input type, the